

IN THE CLAIMS:

Please amend the claims of the above-identified application so as to read as follows:

1. (Currently Amended) A reading apparatus comprising:
 - a reading portion for reading ~~an image of~~ data entered in a form
where a predetermined layout is printed;
 - a storage portion in which mask data ~~of the predetermined layout~~
to be superimposed on a read out image data is ~~pre-~~stored;
 - and
 - a control portion for controlling an entirety of the apparatus,
wherein the control portion superimposes the mask data on the
image data, and deletes a part of image data covered with
the mask data to thereby extract the data entered in the form
from the image data.
2. (Original) The reading apparatus of claim 1, wherein the control portion reads
 - a layout code previously printed on the form by the reading
portion, and reads mask data of the layout corresponding to the
layout code from the storage portion.
3. (Currently Amended) The reading apparatus of claim 1, wherein the control portion reads
 - a detection mark previously printed on the form by the reading
portion, and corrects position and inclination of the image data.

4. (Currently Amended) The reading apparatus of claim 2, wherein the control portion reads
a detection mark previously printed on the form by the reading portion, and corrects position and inclination of the image data.
5. (Currently Amended) The reading apparatus of claim 1, wherein the control portion reads
the detection mark previously printed on the form by the reading portion and adjusts the size of the image data and
the size of the mask data read from the storage portion to each other.
6. (Currently Amended) The reading apparatus of claim 2, wherein the control portion reads the
detection mark previously printed on the form by the reading portion and adjusts the size of the image data and
the size of the mask data read from the storage portion to each other.
7. (Currently Amended) The reading apparatus of claim 3, wherein the control portion reads the
detection mark previously printed on the form by the reading portion and adjusts the size of the image data and
the size of the mask data read from the storage portion to each other.
8. (Currently Amended) The reading apparatus of claim 4, wherein the control portion reads the

detection mark previously printed on the form by the reading portion and adjusts the size of the image data and the size of the mask data read from the storage portion to each other.

9. (Original) The reading apparatus of claim 1, wherein the control portion reads a print magnification previously printed on the form by the reading portion, and reads from the storage portion the mask data of a size corresponding to the print magnification.
10. (Original) The reading apparatus of claim 2, wherein the control portion reads a print magnification previously printed on the form by the reading portion, and reads from the storage portion the mask data of a size corresponding to the print magnification.
11. (Original) The reading apparatus of claim 3, wherein the control portion reads a print magnification previously printed on the form by the reading portion, and reads from the storage portion the mask data of a size corresponding to the print magnification.
12. (Original) The reading apparatus of claim 4, wherein the control portion reads a print magnification previously printed on the form by the reading portion, and reads from the storage portion the mask data of a size corresponding to the print magnification.

13. (Original) The reading apparatus of claim 1, wherein in the storage portion, mask
data of thicker entry box lines than the entry box lines of the layout printed on the form is stored.
14. (Original) The reading apparatus of claim 2, wherein in the storage portion, mask
data of thicker entry box lines than the entry box lines of the layout printed on the form is stored.
15. (Original) The reading apparatus of claim 3, wherein in the storage portion, mask
data of thicker entry box lines than the entry box lines of the layout printed on the form is stored.
16. (Original) The reading apparatus of claim 4, wherein in the storage portion, mask
data of thicker entry box lines than the entry box lines of the layout printed on the form is stored.
17. (Original) The reading apparatus of claim 4, wherein the mask data is data of print
areas of the predetermined layout, layout code and detection marks.
18. (Original) The reading apparatus of claim 16, wherein the mask data is data of print
areas of the predetermined layout, layout code and detection marks.

19. (Currently Amended) A data processing system comprising:
- reading means for reading ~~an image of~~ data entered in a form where a predetermined layout is printed
 - superimposing ~~pre-stored~~ mask data ~~of the predetermined layout~~ covering part of the ~~predetermined layout~~ on the read image data and deleting the ~~predetermined layout~~ from the image data by deleting the ~~data of the part~~ covered with the mask data, thereby extracting the entered data;
 - layout management means for managing layout data of the layout used for the form; and
 - printing means for superimposing the entered data transmitted from the reading means and the layout data transmitted from the layout management means, and printing out the ~~resultant image data~~.
20. (Original) The data processing system of claim 19, wherein the layout management
- means registers a layout where parts for data entry are enlarged and an original layout where the parts are not enlarged so as to be associated with each other.